



## شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

مناقصة: رقم (108 / 2026) طلب المواد رقم (26010007) (توريد كوابل كهربائية)

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفاصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مبينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائياً.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقما وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
  - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
  - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد او امر الشراء يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
  - مدة صلاحية الأسعار يجب الا تقل عن (60) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض.
  - اجور النقل الى مستودعات المصفاة/الزرقاء يجب ان تكون مشمولة ضمن السعر المعروف.
  - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
  - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولاً او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مده التوريد، مكان التسليم.
5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الاسباب.

501



## شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

6. يحق للشركة الغاء المناقصة او اعادة طرحها او شراء جزء منها او التعديل على الكميات المطلوبة دون بيان الاسباب ودون ان تتحمل اي مسؤولية أياً كان نوعها.
7. على المناقص عدم مراجعة اي جهة فنية في الشركة الا بالتنسيق مع دائرة المشتريات.
8. المواد المطلوبة خاضعة للزيادة والنقصان بنسبة  $\pm 25\%$ .
9. على المناقص الالتزام بقبول الإحالة الجزئية.
10. على المناقص الالتزام بتقديم عينات مجانية للمواد المعروضة في حال طلبها حسب ما هو مطلوب وشهادات الفحص المبينة في الشروط المرفقة او كتالوجات لأي من البنود المطلوبة مع العرض.
11. على المناقص الالتزام بدفع قيمة طوابع الواردات والبالغة (6) بالآلف على قرار الاحالة خلال عشرة ايام من تبليغه بقرار الإحالة.
12. على المناقص تقديم كفالة حسن تنفيذ غير مشروطة بنسبة 10% من القيمة الاجمالية بعد تبليغه بقرار الاحالة تبقى سارية المفعول لحين استلام المواد والموافقة عليها.
13. يتم دفع ثمن المواد المشتراة بعد استلام المواد في مستودعات الشركة وبعد صدور سند استلام يؤكد استلامها كاملة ومطابقة للشروط والمواصفات.
14. في حال تأخير توريد او تنفيذ المناقصة حسب ما تم الاتفاق عليه يترتب عليكم غرامة قدرها (20) دينار أردني عن كل يوم تأخير على ان لا تتجاوز 5% من قيمة الإحالة.
15. في حال اخلال المتعهد المحال عليه المناقصة باي من الالتزامات، يحق للشركة الغاء الاحالة واللجوء الى طرف ثالث دون الحاجة لأي اخطار او انذار عادي او عدلي ودون الحاجة لمراجعة القضاء وتحميل المتعهد كافة التكاليف المترتبة على ذلك.
16. إذا عجز المورد المحال عليه المناقصة عن التوريد أو تأخر في تقديم كمية من أصل العطاء أو عجز عن تقديم أية كمية في وقتها المحدد أو إذا ثبت أن أحد المناقصين قدم للشركة لوازم أو قام بأداء خدمات بطرق الغش، لشركة مصفاة البترول الحق بما يلي:
  - مصادرة كفالة حسن التنفيذ المقدمة للمناقصة أو جزء منها، وقيد المبلغ المصادر إيراداً لحساب الشركة.
  - القيام بشراء اللوازم من الأسواق المحلية أو الأجنبية بالأسعار الراضية والرجوع على المناقص بفرق السعر وخصم ذلك من الكفالة، أو إحالة المناقصة او جزء منها على السعر الذي يليه مع تحميل المستنكف فرق السعر.
  - حرمان المناقص من الدخول في العطاءات/ المناقصات للمدة التي تراها الشركة مناسبة.
17. تعتبر هذه الشروط جزءاً لا يتجزأ من المناقصة وعلى المورد الالتزام بما جاء فيها.

2



شركة مصفاة البترول الاردنية المساهمة المحدودة  
عمان - الأردن

18. اخر موعد لقبول واستلام العروض قبل الساعة الثانية عشر من ظهر يوم الخميس 2026/04/16 وتسلم لدائرة المشتريات - الادارة العامة - جبل عمان - الدوار الأول - الطابق الأول - مكتب 10 ولن يقبل أي عرض بعد الموعد المذكور.
  19. في حال وجود أي استفسار يتم إرساله بالبريد الإلكتروني على العنوان ( [Local.Purchasing@jopetrol.com.jo](mailto:Local.Purchasing@jopetrol.com.jo) )
  20. يجب ان تكون الفاتورة المقدمة من قبلكم في حال شراء السلع او تقديم خدمة وفقا" لنظام تنظيم شؤون الفوترة والرقابة عليها رقم (34) لسنة 2019 وسيتم رفض أي فاتورة لا تكون وفقا" للنظام أعلاه.
- كما يشترط تقديم البيانات التالية على الفواتير الصادرة من قبلكم: -
- الاسم الكامل للشخص أو الشركة أو المفوض بالتوقيع وختم الشركة الرسمي او المفوض بالتوقيع وتوقيعه.
- الرقم الوطني الكامل للشخص أو الشركة أو المفوض بالتوقيع.
- العنوان الكامل بالإضافة إلى رقم الهاتف والصندوق البريدي والرمز البريدي.
- الرقم الضريبي للشخص أو الشركة إن وجد.

**Jordan Petroleum Refinery Company**  
**Quote Order**

**Order Number 26010057 OQ 00001**

Branch/Plant 2002  
Order Date 19/02/2026  
Request Date 06/08/2026  
Freight Handling

**Delivery Instructions**

**General Description 1 161048** SINGLE CORE ARMoured POWER CABLE SUITABLE FOR POWER NETWORKS AND DIRECT BURIAL.  
ARMoured POWER CABLE ACCORDING TO BRITISH STANDARD BS6724&IEC 60502-1 CONDUCTORS: PLAIN ANNEALED STRANDED COPPER CONDUCTOR STRANDING :CIRCULAR COMPACTED INSULATION : XLPE(CROSS LINKED POLYETHYLENE) ARMOUR/PROTECTION: AWA(ALUMINIUM WIRE ARMOUR)NON-MAGNETIC SHEATH/JACKET:LSZH(LOW SMOKE ZERO HALOGEN) VOLTAGE : 600/1000 V OPERATING TEMPERATURE MAXIMUM 90°C THE CABLE SHALL BE TESTED ACCORDING THE FOLLOWING STANDARDS: BS6724, BSEN50267-1,BSEN50566-1,IEC 60502,BSEN61034-2,BS EN 60332-1-2 ALL CABLE LENGTH SHALL BE SUPPLIED ON ONE DRUM.

**General Description 2**

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
1	1601005119	XLPE ARMoured CABLE SINGLE			250.000	M			26010007	OR	1
2	1601005120	XLPE ARMoured CABLE SINGLE			250.000	M			26010007	OR	2
3	1601005121	XLPE ARMoured CABLE SINGLE			250.000	M			26010007	OR	3
4	1601005122	XLPE ARMoured CABLE SINGLE			200.000	M			26010007	OR	4

**General Description 1 160006** CABLE CONTROL, UNDERGROUND, BLACK, HIGH CONDUCTIVITY COPPER WIRE, HEAT RESISTANT P.V.C. INSULATED AND P.V.C. SHEATHED, HYDROCARBON RESISTANT, 1 KV WORKING VOLTAGE STEEL WIRE ARMORED, CORES SHOULD BE NUMBERED ACCORDING TO IEC 60502-1 AND LATEST AMENDMENT

## Quote Order

Order Number 26010057 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Supplier Offer Unit	Supplier Offer Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
----------	--------------	-------------	-------------	----------------	------------------	---------------------	----------------------	------------------------------	-------------------	-----------	--------

## NOTE :-

- CABLE IS TO BE SUPPLIED IN ONE CONTINUOUS LENGTH IN ONE DRUM.
- THE FOLLOWING SHALL BE PROVIDED:-
- LEAFLET CATALOGUES INCLUDE ALL SPECIFICATIONS & TECHNICAL DATA SHEET (TDS).
- CERTIFICATES OF ORIGIN
- CERTIFICATE OF CONFORMITY WITH APPLICABLE STANDARDS
- MANUFACTURER QUALITY CONTROL PLAN INCLUDING TEST PROCEDURES .

شروط التسليم / التسليم في ارض مستودعات  
شركة مصفاة البترول / الزرقاء

## General Description 2

5	1601005087	PVC CABLE 7 CORE SIZE 2.5 SQ.M	M		500.000 M				26010007 OR	5
---	------------	--------------------------------	---	--	-----------	--	--	--	-------------	---

## General Description 1

160007 SINGLE CORE CABLES  
CONDUCTOR : STRANDED COPPER CONDUCTORS  
INSULATION : PVC(POLYVINYL CHLORIDE)  
VOLTAGE RATING : 450/750V  
TEMPERATURE RATING : 0 C TO 0+70 C  
CU/PVC  
STANDARDS: IEC 60227, BS 6004, BS EN 60228, BS7655, BS EN 50525-2-31  
NOTES:  
- TO BE SUPPLIED IN ONE COIL EACH 100 YARDS.  
- THE OFFER SHALL BE INCLUDE THE FOLLOWING:  
\* TECHNICAL DATA SHEET(TDS)  
\* LEAFLETS CATALOGUES  
\* FACTORY TESTS

## General Description 2

6	1601010005	CABLE PVC 1.1/2 SQ.MM RED			600.000 YD				26010007 OR	6
---	------------	---------------------------	--	--	------------	--	--	--	-------------	---

General Description 1 160019 SINGLE CORE CABLES WITH STANDARD COPPER CONDUCTORS AND P.V.C

Jordan Petroleum Refinery Company  
Quote Order

Order Number 26010057 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Supplier Offer Unit	Supplier Offer Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
		INSULATED(450/750V) ACCORDING TO IEC 60227 & BS 6004 CONDUCTOR : STRANDED COPPER CONDUCTORS ACCORDING TO BS EN 60228 INSULATION : PVC(POLYVINYL CHLORIDE) ACCORDING TO BS7655 INSULATION COLOR : GREEN/YELLOW VOLTAGE RATING : 450/750V TEMPERATURE RATING : 0°C TO 0+70°C NOTES: - TO BE SUPPLIED IN ONE DRUM. - THE OFFER SHALL BE INCLUDE THE FOLLOWING: * TECHNICAL DATA SHEET(TDS) * LEAFLETS CATALOGUES * FACTORY TESTS									

General Description 2

7	1601025009	EL.CABLE 1X70		SQ.MM19/2.18MM	1000.000	M			26010007	OR	7
---	------------	---------------	--	----------------	----------	---	--	--	----------	----	---

Purchasing Manager : .....

Remarks of Purchasing Department :  
.....  
.....

Or no. (26010007), OQ no. ( ) (Each point must be confirmed/commented upon and must be submitted with the offer)	
Technical requirements	Vendor's confirmation/ acceptance/ comments To be mentioned for each item
Single core armoured power cable suitable for power networks and direct burial.	
Armoured power cable according to british standard BS6724&IEC 60502-1	
Conductors: plain annealed stranded copper	
Conductor stranding: circular compacted	
Insulation: XLPE (cross linked polyethylene)	
Armour/protection: AWA (aluminium wire armour) non-magnetic	
Sheath/jacket: LSZH (low smoke zero halogen)	
Voltage: 600/1000 V	
Operating temperature maximum 90oc	
The cable shall be tested according the following standards: BS6724, BSENS0267-1, BSENS0566-1, IEC60502, BSEN61034-2, BS EN 60332-1-2 all cable length shall be supplied on one drum.	
Item (1)	XLPE armoured cable single core size 300 sq.mm red Qty (250 ) M
Item (2)	XLPE armoured cable single core size 300 sq.mm yellow Qty (250 ) M
Item (3)	XLPE armoured cable single core size 300 sq.mm blue Qty (250 ) M
Item (4)	XLPE armoured cable single core size 300 sq.mm black Qty (200 ) M

Or no. (26010007), OQ no. ( ) (each point must be confirmed/commented upon and must be submitted with the offer)	
Technical requirements	Vendor's confirmation/ acceptance/ comments To be mentioned for each item
Item (5)	
Cable control, underground, black, high conductivity copper wire, heat resistant	
P.V.C. Insulated and P.V.C. Sheathed,	
Hydrocarbon resistant, 1 KV working voltage	
Steel wire armored; cores should be numbered	
According to IEC 60502-1 and latest amendment	
Cable is to be supplied in one continuous length in one drum.	
Pvc cable 7 core size 2.5 sq.mm	Qty ( 500 ) M

Or no. (26010007), OQ no. ( ) (each point must be confirmed/commented upon and must be submitted with the offer)	
Technical requirements	Vendor's confirmation/ acceptance/ comments To be mentioned for each item
Item (6)	
Single core cables	
Conductor: stranded copper conductors	
Insulation: PVC(polyvinyl chloride)	
Voltage rating: 450/750V	
Temperature rating: 0 °C to +70 °C	
Cu/PVC	
Standards: IEC 60227, BS 6004, BS EN 60228, BS7655, BS EN 50525-2-31 notes:	
To be supplied in one coil each 100 yards.	
Cable PVC 1.1 /2 sq.mm red	Qty ( 600 ) YD

Or no. (26010007), OQ no. ( ) (each point must be confirmed/commented upon and must be submitted with the offer)	
Technical requirements	Vendor's confirmation/ acceptance/ comments To be mentioned for each item
Item (7)	
Single core cables with standard copper conductors and P.V.C	
Insulated (450/750V) according to IEC 60227 & BS 6004	
Conductor : stranded copper conductors according to BS EN 60228	
Insulation : PVC(polyvinyl chloride) according to BS7655	
Insulation color : green/yellow	
Voltage rating : 450/750V	
temperature rating: 0°C to +70°C	
To be supplied in one drum.	
EL. Cable 1X70 sq.mm19/2.18mm	Qty ( 1000 ) M

Order No: OR- 26010007

No.	Vocab Number	Description	UOM	Quantity	Conformity	Deviations
1	1601005119	XLPE ARMoured CABLE SINGLE	M	250.000		
2	1601005120	XLPE ARMoured CABLE SINGLE	M	250.000		
3	1601005121	XLPE ARMoured CABLE SINGLE	M	250.000		
4	1601005122	XLPE ARMoured CABLE SINGLE	M	200.000		
5	1601005087	PVC CABLE 7 CORE SIZE 2.5 SQ.M	M	500.000		
6	1601010005	CABLE PVC 1. 1/2 SQ.MM RED	YD	600.000		
7	1601025009	EL.CABLE 1X70	M	1000.000		

Order No. (26010007)

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
1	Manufacturer name	
2	Full address	
3	Supplier name	
4	Full address	
5	Offer no.	
6	Offer validity (at least 90 days from closing date)	
7	Indicate the quoted currency.	
8	Indicate Country of Origin of goods offered	
9	Accordance to Jordan prevailing law, you should pay 6 per thousand of the total order to cover the REVENUE STAMPS	
10	Promised delivery date shall be provided.	
11	Price Inclusive/Exclusive Sales Tax	
12	Local supplier registration in the National E-Invoicing System	